

# semantic elements

<http://www.w3schools.com/tags>

# <time>

defines a human-readable date/time.

```
<!-- time -->  
<p>We open at <time>10:00</time> every morning.</p>  
<p>I have a date on <time datetime="2008-02-14 20:00">Valentines day</time>.</p>
```

**We open at 10:00 every morning.**

**I have a date on Valentines day.**


This element can also be used to encode dates and times in a machine-readable way so that user agents can offer to add birthday reminders or scheduled events to the user's calendar, and search engines can produce smarter search results.

# <progress> (1)

represents the progress of a task.

Progress:

```
<progress max="100" value="30"></progress>
```

Progress: 

## <progress> (2)

without specifying any attribute you will get an indeterminate progress bar

```
<!-- progress -->
```

Progress:

```
<progress></progress>
```

**Progress:** 

# <meter>

defines a scalar measurement within a known range, or a fractional value.  
This is also known as a gauge.

```
<!-- meter -->  
<meter value="2" min="0" max="10">2 out of 10</meter><br>  
<meter value="0.6">60%</meter>
```

**Disk usage:**



**Note:** The <meter> tag should not be used to indicate progress (as in a progress bar). For progress bars, use the <progress> tag.

# <details>

specifies additional details that the user can view or hide on demand.

```
<!-- details -->
<details>
  <summary>Copyright 1999-2014.</summary>
  <p> - by Refsnes Data. All Rights Reserved.</p>
  <p>All content and graphics on this site are the property of the company.</p>
</details>
```

▶ Copyright 1999-2014.

▼ Copyright 1999-2014.

- by Refsnes Data. All Rights Reserved.

All content and graphics on this site are the property of the company.

# <address>

defines the contact information for the author/owner of a document or an article.

```
<!-- address -->  
<address>  
Written by <a href="mailto:webmaster@example.com">Jon Doe</a>.<br>  
Visit us at:<br>  
Example.com<br>  
Box 564, Disneyland<br>  
USA  
</address>
```

*Written by Jon Doe.*  
*Visit us at:*  
*Example.com*  
*Box 564, Disneyland*  
*USA*

# <abbr>

defines an abbreviation or an acronym, like "Mr.", "Dec.", "ASAP", "ATM".  
Marking up abbreviations can give useful information to browsers,  
translation systems and search-engines.

```
<!-- abbreviation -->  
<p>The <abbr title="World Health Organization">WHO</abbr> was founded in 1948.</p>
```

**The WHO was founded in 1948.**



# <mark>

defines marked text.

Use the <mark> tag if you want to highlight parts of your text.

```
<!-- mark -->
```

```
<p>Do not forget to buy <mark>milk</mark> today.</p>
```

Do not forget to buy **milk** today.